From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 11/25/2020 8:02:00 PM
To: ⌐ Ex. 6 Personal Privacy (PP) ⌐
Subject: Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 8:02:01 PM

The following recipient(s) cannot be reached:

⌐ Ex. 6 Personal Privacy (PP) ⌐ on 11/25/2020 8:02:01 PM
Diagnostic code = MailRefused; Reason code = TransferFailed; Status code = 521
<flph834.prodigy.net #5.2.1 smtp;550 5.2.1 ⌐ Ex. 6 Personal Privacy (PP) ⌐. Addressee unknown, relay=[40.107.91.133]>

flph834.prodigy.net rejected your message to the following email addresses:

⌐ Ex. 6 Personal Privacy (PP) ⌐
There's a problem with the recipient's mailbox. Please try resending your message. If the problem continues, please contact your email admin.

flph834.prodigy.net gave this error:
⌐ Ex. 6 Personal Privacy (PP) ⌐. Addressee unknown, relay=[40.107.91.133]

Diagnostic information for administrators:

Generating server: DM6PR09MB5240.namprd09.prod.outlook.com

⌐ Ex. 6 Personal Privacy (PP) ⌐
flph834.prodigy.net
Remote Server returned '550 5.2.1 <bbathke40@sbcglobal.net>... Addressee unknown, relay=[40.107.91.133]'

Original message headers:

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=GlV9Azq+i1Ki5ZPPKe5y25h88qjagAZCfGifnGaBKwijJNFUd8jWc19nplu98H5qyr/7FZOpa5Cv0d3yM/vwf+2
yFU9i/PtAvIpalEL9Kke/xPJPoz6WiZAcWsqqq28nL/04xbhAscnk9HiIlWfyceg6da/sgGhvkWfzv5FffHILbkA3
tNryuqRpiN0yBsuFjB9MJVJHrqGzVqBzecDjurBRb9nfXVvaiuCsdj5Nib/b2nPSaubS+DHnaLLssWeTcYlnf/vi/
e3Qn0ysJ4J4S/Q576Gj2wiNXXibtq6kPWqxcQ0vUjW+DVzz7UOkMiaHVRi/Bi27Rk3O4PFC/abC8A==

ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=QJ6flkEjdp+mZhi/wJ9I1J6PY1SOX7iq3VPyLtioIU0=;

b=PaIjYpVN7XPL494qRh8prnvUFY4JCe9YhoKJAU8R7FxJ4jWWQZ/7YLeWg70gsc6SzDmqp4oAlljoWjs5yrqpP2K
U/v/hNMQVTrJ+rW39TGVDo4rpJkNPSy+vZUF7loL38++OW89614jHORnKtn4EJ69KdppWlHzodBVNJIiyL4afoCbW
jzCWg2izEfx9Qxlv2c9L0LxKGP9kLXsOaA2VhIIBD/hUE3JzfuWpPS3XLkFeZiYXGHzPv2A7GD4EizhTmD1QV3zmk
39EdshsmfmbimfCbfoXBvSgkL5nHl5QeAR09wlnIk31F30JpqZJT0NazXIXJO/MnNJ9zpnMquPHGg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=QJ6flkEjdp+mZhi/wJ9I1J6PY1SOX7iq3VPyLtioIU8=;

b=exXrpl0ScCnPsa29TtZd/GlKIWDaJN2oAHcc9ECnjujWhx88fD6rcSH5nk0wLgHZwAnJP2JtPQSyueVNBqOIA2o
vyL4e0wAmQJO/q+8FWcUHelkRHvSyVIV2a2545ItLzurx/DYD+cPT+yZRxToYLiVjelQAtP5sbZfswKX6YJE=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM6PR09MB5240.namprd09.prod.outlook.com (2603:10b6:5:260::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 20:01:11 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:592784]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 20:01:11 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site: weblink to EPA documents
Thread-Index: AdbDZamq4kWYY8vSS4e1aEJ25IgxDQ==
Date: Wed, 25 Nov 2020 20:01:10 +0000
Message-ID:
 <DM8PR09MB64691B921D5EB79258B8E7C2F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: gmail.com; dkim=none (message not signed)
 header.d=none;gmail.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: eaf0341c-fbd7-426b-368d-08d8917cdb4b
x-ms-traffictypediagnostic: DM6PR09MB5240:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM6PR09MB52400D7353F33D325D361D0BF4FA0@DM6PR09MB5240.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:
adjnpJmgBzZMT/VyF33AKFtyhI2/LmMlCu44BQlo+62s95is72yd0zFWrh/ZIv8vec31VbB3klK6X29kuLevHyi+2
wg5liz8gZzc9MRIfxWk2SYUCe7ANepHbbjD+D26uVCfwNsrLSmgGtchOIJly/9utEcsGzQrJdOnTVLMAieb+Rtw/D
KYldSz9bGTcRVtr4f0a6Za5s6hCH2UcTAg+avKqPPzIc03P/bbmdljvew0AlTCSyyzyShJrgDMREPnHoKlrDyNB3h
gCe/7lqjJUJFK7nPdjMpKxXef36lqh/oG7dfK3YZDXgy+nXFdh9IL3ucLVvInVCKkLfbf5RK3Um+ZKKqFeUZ5wDmA
rJDgdUvYs/+eHyG9zaeJl8NTxWJ/xFsi5/DmSMSufw6RSwlz4riOPppZjz56R/Zzeq4Hp7jzshVxlOdf3PJzTenjF
7H4W5EsgaLc2es9Zc3zr6Q9zSXdCINhNYazT1li/e/sFcU4zCWwYuOumGwHPio5f0Dc
x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(39860400002)(136003)(376002)(396003)(346002)(3
66004)(5660300002)(76116006)(8636001)(6506007)(7696005)(66946007)(26005)(88732003)(71200

400001) (3365G002) (6655G009) (186003) (6644G009) (8309G40000Z) (2906002) (6475G008) (966005) (664
76007) (5253G014) (7406005) (5501G002) (7366002) (7416002) (7276002) (7336002) (76576003) (1099860
05) (6568G005) (8676002) (166002) (316002) (4744005) (89122003) (3936002) (9636003) (478G0001) (10
505020000Z);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
HQ7pCqTL2VoNoc4YwOYku09R3p2BmcJzKAelRoKO6xhv+22dZdFtyvejOZzQ8w/VUWk/iP3+bWpeyPQCwJdm/o9de
uonPs5u0fCnKP25ba6qBp6WngOfeLQllfBrbex4y1M1Y519W4EFqDK/a20R8TOgHTXndSzyfJ59VnMPKZQoLXKylX
UhH9eD9dZ+rdPgrpRU0IHLTye0JWAfGUBvLEPoCyfvK/1Elba9WFgN17nQAwpwpBTDaYtyjSYgf7djlxvsbwo2LFZ
5XeGnn+Jfz1yDLI6hVyRfrufb67wSKPel/6r4z6kxsj7cbLOj+f1+xhNzIUsCVqY41aijjqmPAA+PyFg/UMIsdmqB
WFN4pnOcfChbpSe8XTrhqnlxOF15Wn0Ycmjtn7xbm3vPGE/KQtmyDj145bkPcxt2IMOCks3wiY8kTN/jo/H/VCJJn
kudHirenansghRHN+DCrPpPenLqPEE3qZ9CjYgQ/QSHFuXY6hdllzpq79+9ADE6Stilba4JpQwqiAnMYY20nNClu9
xKJoPplVKqhC0y43KFL8rBpBWud6lwS291J+Qi9tT+ij0ng+VBNE4nRDxodZ4p8QLJflq+oKMinQdlgLGr3javyvL
P0o1UnEsvumCgcI2pibSIKJ3AFlVLlDnprnZ3bJqOOAj8+ovUFbBPduElbiaS+KikRzcc12z4hxE41L0aet0vt3Ot
fQ3CQ090341kQ5+1Cu5Xi9hTJ2AQPQPfyLx6I+eaFScACciHmqGaS3Sx3BP+2LO11BiP5n9GQ123E+luNux2E3a4T
/ACnKBCw42zgaYXEet7d3W9Sr2BJ34zrOcVYeQlQYkS0IvsYp/eK8gFpulpecHPbLCVvp0Ggga/cOvEbW/uZnejyfu
hgELBe9Q6fRXTJxbLCxlcrzX4iAg==
x-ms-exchange-transport-forked: True
Content-Type: multipart/alternative;
        boundary="_000_DM9PR09MB64691B921D5EB79259B8E7C2F4FA0DM8PR09MB6469namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: DM8PP09MB6469.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: eaf0341c-fbd7-426b-368d-08d8917cdb4b
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 20:01:10.2288
  (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
OOUdVoPY4XnuTBdVFveYVS5d7B0Fyy5AI0ADSm0C6nh0h0oQGC0ShSnjUOQq6s9rsIA3J9nuLAWtNstg/ALP6A==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB5240